

**Defiance County Health Department
May 2015 Food Service Inspections**

DATE	NAME	VIOLATIONS
05/04/15	Aldi	No Violations
05/07/15	Tinora Elementary	No Violations
05/07/15	Tinora High School	No Violations
05/08/15	Brookview Healthcare Center	No Violations
05/08/15	Defiance Jr. High/Middle School	No Violations
05/07/15	Close to Home	No Violations
05/11/15	Menard's	No Violations
05/11/15	Mercy Hospital of Defiance	No Violations
05/11/15	Kroger Fuel Center	No Violations
05/12/15	Grace United Methodist	No Violations
05/12/15	Charlie's Place	No Violations
05/12/15	Family Resource Center-Head Start	No Violations
05/13/15	Marty's	No Violations
05/13/15	Walgreens	No Violations
05/13/15	Rite Aid #2364	No Violations
05/13/15	Hicksville Senior Center	No Violations
05/27/15	The Summit	No Violations
05/27/15	Rainbow Promise	No Violations
05/28/15	Sherwood Park Concession	No Violations
05/28/15	Kingsbury Concessions	No Violations
05/04/15	Jersey's	Critical Violations: Door handles on freezer had heavy accumulation of soil. Racks in dishwashing area are heavily soiled with grease. Inside of dish machine was heavily soiled. Pizza oven has heavy accumulation of soil on outside. Faucets on 3-compartment sink and hand sink are still leaking.

		<p>Non-Critical Violations:</p> <p>Floors in walk-in cooler and freezer have heavy deposits of soil.</p> <p>Accumulation of grease on ceiling panels and light fixtures.</p> <p>Burned out light bulbs in kitchen area need to be replaced.</p> <p>Heavy accumulation of grease in deep fryer area.</p> <p>Roof is leaking near deep fryer.</p> <p>Heavy accumulations of soil on outside of trash containers.</p>
05/04/15	Dollar Tree Stores Inc. #60	<p>Non-Critical Violations:</p> <p>Several ceiling panels in storage room have heavy water damage and appear to be growing mold.</p>
05/06/15	Marty's	<p>Critical Violation:</p> <p>True reach-in cooler measured at 43.1°F, thermometer on unit read 52°F.</p> <p>Non-Critical Violations:</p> <p>Can opener observed with an accumulation of debris.</p> <p>Door seals and grates/shelves of cooler units need to be cleaned.</p> <p>Door to kitchen observed open without screen.</p>
05/06/15	Ney Super Mart	<p>Non-Critical Violations:</p> <p>Door seals on display coolers observed in a state of disrepair.</p> <p>Faucet at three-compartment sink unsecured.</p> <p>Floor leading into kitchen missing floor tiles.</p>
05/11/15	Defiance Senior High School	<p>Non-Critical Violations:</p> <p>Dishwasher garbage disposal observed leaking water over electrical box.</p> <p>Two-compartment sink, three-compartment sink and wand at cook station observed leaking.</p> <p>Walk-in cooler floor observed rusted through traffic area.</p> <p>Hoods observed with an accumulation of debris.</p>
05/11/15	Defiance Area YMCA	<p>Critical Violation:</p> <p>Hot dogs in plastic container did not have a date.</p>

05/11/15	Little Caesar's Pizza	<p>Critical Violation: Can opener and dough mixer were not properly cleaned and sanitized.</p> <p>Non-Critical Violation: Pizza oven needs to be cleaned.</p>
05/13/15	Twin Rivers Center	<p>Critical Violations: Eggs observed on shelf above grapes. An accumulation of debris was observed on drip tray.</p> <p>Non-Critical Violations: Ice build-up observed around freezer door in walk-in unit. Mop bucket chemical station and wand at garbage disposal observed leaking. Ceiling above dishwashing machine observed in state of disrepair.</p>
05/13/15	Dari-De-Lite	<p>Non-Critical Violation: Several fluorescent units did not have shields in hood and storage room.</p>
05/13/15	Cougar Station	<p>Non-Critical Violations: Temperature of cheese in prep refrigerator was 45°F. Back room has missing floor tiles.</p>
05/19/15	Yoder's Restaurant	<p>Critical Violation: Dish machine was not dispensing sanitizer.</p> <p>Non-Critical Violation: Fryer area was greasy.</p>
05/20/15	Power Dam Express	<p>Non-Critical Violation: Missing or broken floor tiles in kitchen and bar area.</p>
05/20/15	Defiance Recreation Inc.	<p>Critical Violation: Personal food is stored and intermingled with customer food.</p> <p>Non-Critical Violations: Operation is very cluttered. Refrigerator was heavily soiled. Freezer needs to be defrosted.</p>

		Microwave needs to be cleaned.
05/20/15	Evansport Carry-out	Non-Critical Violations: Submarine sandwiches did not have ingredient statement. Coffee cups being stored in restroom. Hand sink was not equipped with hand soap or paper towels.
05/20/15	Barney's Bar & Grill	Non-Critical Violation: Steak from Friday was not dated.
05/21/2015	Golden China	Non-Critical Violation: Floors throughout kitchen need to be cleaned.
05/28/15	Defiance Baseball K of C Hall	Non-Critical Violations: No hair restraints observed on workers. Microwave observed with an accumulation of debris.

*Critical Items

Personnel - supervision, health, cleanliness and hygiene

Food - approved source, identity, labeling, contamination, adulteration, time/temperature control, ready-to-eat date marking, cooking raw animal foods, consumer advisory

Equipment - toxic materials, clean ability, cleaning and sanitation of contact surfaces, reuse of single use articles

Plumbing - plumbing cross-connections, back-flow hazards, inadequate hand washing and toilet facilities

Poisonous or toxic materials - labeling, storage, use in variance to manufacturer's instructions

*Non-Critical Items

Personnel - hair restraints, jewelry, fingernails, outer clothing

Food - labeling storage containers, use of gloves, sneeze guards, thawing and cooling methods

Equipment - thermometers, clean ability, ventilation, cleaning frequency, cleaning methods, laundry, dry goods storage

Plumbing - capacity, water testing, condition of plumbing, refuse, recyclables, plugged drains, leaking water lines